



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,940	11/03/2003	Thomas Scott III	MS1-1731US	4357
22801	7590	04/01/2010		
LEE & HAYES, PLLC 601 W. RIVERSIDE AVENUE SUITE 1400 SPOKANE, WA 99201				
EXAMINER				
SAINT CYR, JEAN D				
ART UNIT		PAPER NUMBER		
2425				
NOTIFICATION DATE		DELIVERY MODE		
04/01/2010		ELECTRONIC		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

lhptoms@leehayes.com

### Office Action Summary

**Application No.**

10/699,940

**Applicant(s)**

SCOTT ET AL.

**Examiner**

JEAN Duclos SAINT CYR

**Art Unit**

2425

**Period for Reply** -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 19 November 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-13, 15, 16, 18, 19, 24, 25, 27-29, 31-33, 35-38 and 40-44 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-13, 15, 16, 18, 19, 24, 25, 27-29, 31-33, 35-38 and 40-44 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03 November 2009 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-946)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

### **DETAILED ACTION**

#### **35 U.S.C. 101 reads as follows:**

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 36, 37, 38 and 44 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. The claims disclose a computer readable medium that can be a signal and a schema which is software per se.

#### **35 U.S.C. 112, Second Paragraph**

Claim 18 recites the limitation "the different television program" in the last two paragraphs of the claim. There is insufficient antecedent basis for this limitation in the claim.

#### **Response to Amendment**

This action is in response to applicant's amendment filed on 11/19/2009. Claims 1-10, 12, 13, 15, 16, 18, 19, 24, 25, 27-29, 31-33, 35-38 and 40-44. **This action is made NON-FINAL.**

#### **Response to Arguments**

Applicant's arguments with respect to claims 1-13, 15-16, 18-19, 24-25, 27-28, 29, 31-33, 35-38, 40-44 have been considered but are moot in view of the new ground(s) of rejection. The examiner removed the cited reference Kikinis from the previous rejection and introduced a new reference Herrington (20040221310) disclosing an electronic program guide with related program search feature allowing users to combine a plurality of attributes in single search. As a result, this action is made non-final.

#### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a

whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-5, 8-10, 12-13, 15, 16, 29, 31-32, 33, 35-38, 40-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Herrington et al in view of Dodson et al, US No. 6184877.

Re claim 1, Herrington et al disclose displaying a currently displayed television program on a display(see fig.5);

activating a navigation system during display of the currently displayed television program, the set of attributes comprising attributes which are each descriptive of a different aspect of the currently displayed television program, wherein the navigation system determines and displays a set of viewer-selectable attributes for the currently displayed television program overlaid on the currently displayed television program; wherein each attribute of the set of viewer-selectable attributes corresponds to a combinable navigation context to generate a navigable sequence of television programs(the program guide may display related program find display screen for the program Seinfeld when a user presses a single user interface key while a video for Seinfeld is displayed in display screen,0053; the system may present the user with a list of attributes for the given program and may allow the user to select one or more attributes and may allow the user to select which logical operations e.g., and/or operations are to be performed on the attributes,0008; the program guide may display a display screen or, if desired, an overlay having listings for programs which are related to the user-selected program,0060 );

logically combining the navigation contexts which correspond to the selected at least two attributes using Boolean operators(When plural attributes are selected, the search may be performed using a logical AND or a logical OR function,0070);

selecting at least two attributes from the set of viewer-selectable attributes using one or more of three navigation keys comprising a previous key, a next key and a select key(see fig.7c; the user may select one or more attributes e.g., by pressing a remote control OK button or otherwise selecting desired attributes,0070; Remote controls, such as remote control 70, have various buttons that can be pressed by the user such as arrow keys e.g., for directing on-screen movement of a highlight region, for directing scrolling functions, etc., an OK, select, enter, or other such selection key for making a selection,0045);

querying a database of television programming metadata for television program identifiers associated with the combined navigation contexts(The system may search television program listings and may display a list of related programs based on the selected attributes,0008; the program guide may locate program listings from program listings stored in a database, such as program listings database,0063 );

generating a sequence of television programs associated with the identifiers for navigation wherein the sequence comprises a corresponding navigational axis, the sequence of television programs including the current television program and at least one other television program that shares one or more of the selected attributes with the currently displayed television program(see fig.5; display a list of programs that are related to the particular program when the user requests that the system locate programs that are related to the particular program,0051 ).

But did not explicitly disclose navigating the sequence of television programs, wherein the navigating comprises using the next key or previous key to change from displaying the currently displayed television program in the sequence to displaying another television program in the sequence, wherein the next key or previous key is used to cycle through the sequence of television programs without having to access a

menu listing the television programs in the sequence for navigating to display of a next television program in the sequence.

However, Dodson et al disclose navigating the sequence of television programs, wherein the navigating comprises using the next key or previous key to change from displaying the currently displayed television program in the sequence to displaying another television program in the sequence, wherein the next key or previous key is used to cycle through the sequence of television programs without having to access a menu listing the television programs in the sequence for navigating to display of a next television program in the sequence (see fig.4, element 206, a remote control having up and down buttons for allowing user to move up and down in selecting channels; the request can be made through the use of an input device such as a remote control, col.2, lines 65-66; col.3, lines 41-49).

It would have been obvious for any person of ordinary skill in the art at that time the invention was made to incorporate the teaching of Dodson into the invention of Herrington for the purpose of allowing users to interact with up and down buttons to select channel without opening any other menu.

Re claim 2, Herrington et al explicitly disclose wherein the querying is performed by one or more predefined queries and each predefined query is associated with a combinable navigation context (The system may provide the user with an opportunity to save search parameters for use at a later time, 0009; the program guide may provide the user with an opportunity to configure search parameters for searching for related programs based on attributes of the user-selected program, 0063 )

Re claim 3, Herrington et al disclose wherein the set of attributes includes an actor attribute and a director attribute, and wherein logically combining the navigation contexts which correspond to the selected attributes comprises logically combining navigation contexts which correspond to the actor attribute and the director attribute to

generate a single actor-director navigational axis(whether a program has the same actor, director,0051).

Re claim 4, Herrington et al disclose wherein links for launching the one or more predefined queries are associated with television program content (while a video for Seinfeld is displayed in display screen 92. The single user interface key may, for example, be a search key of a remote control for requesting that the system locate related programs,0053).

Re claim 5, Herrington et al disclose wherein the television program content is included in a conventional broadcast television show (see fig.5).

Re claim 8, Herrington et al disclose wherein a link is selectable while the television program content is playing(the program guide may display related program find display screen 94 for the program Seinfeld when a user presses a single user interface key while a video for Seinfeld is displayed in display screen,0053).

Re claim 9, Herrington et al disclose wherein links for launching the one or more predefined queries are associated with television program metadata (descriptions, program type, genre, actors,0038).

Re claim 10, Herrington et al disclose wherein a link is selectable while the television program metadata is displayed (see fig.7c; The system may present the user with a list of attributes for the given program and may allow the user to select one or more attributes and may allow the user to select which logical operations,0008 ).

Re claim 12, Herrington et al disclose wherein the select key of the navigation controls selects one or more of the combinable navigation contexts(When plural attributes are selected, the search may be performed using a logical AND or a logical OR function,0070).

Re claim 13, Herrington et al disclose further comprising using at least one of the combinable navigation contexts as a logical filter (see fig.7c where user selects "start trek movie" containing Patrick Steward only as attribute).

Re claim 15, Herrington et al disclose wherein the Boolean operators are applied automatically based on an association between a link for launching a predefined query corresponding to a navigation context and the television program content associated with the link (The system may search television program listings and may display a list of related programs based on the selected attributes,0008).

Re claim 16, Herrington et al disclose wherein the Boolean operators are applied automatically based on an association between a link for launching a predefined query corresponding to a navigation context and the television program metadata associated with the link(the program guide may locate program listings for programs that have an attribute that matches an attribute of the given program e.g., a common actor, same content, same subject matter, same series, common director, same category, same theme, common production year, etc,0059).

Re claim 29, Herrington et al disclose a multi-axis television navigation system, comprising: a server for storing and accessing digital television programming content(see fig.1, element 56; the server e.g., television distribution facility 56 may include a database that may include program listing information,0048);

a navigation control for navigating any one of multiple navigational axes to change from displaying of-a currently displayed television program to displaying a television program provided by the server, and for selecting links to launch predefined queries, wherein each predefined query queries a database based on television program attributes selected by a viewer and returns a navigation axis comprising a list of program identifiers of television programs corresponding to a value for the television



program attributes selected(the system may present the user with a list of attributes for the given program and may allow the user to select one or more attributes and may allow the user to select which logical operations e.g., and/or operations are to be performed on the attributes,0008);

a means for storing television program metadata in a database(see fig.1, element 64);

a means for arranging the program metadata in a relational schema(an arrangement such as that shown in FIG. 7c may be used to search for related programs,0068);

a means for defining and storing the pre-defined queries(The system may provide the user with an opportunity to save search parameters for use at a later time,0009);

a means for embedding links to the pre-defined queries in logically associated metadata for a currently displayed television program(When plural attributes are selected, the search may be performed using a logical AND or a logical OR function,0070); and

a means for logically combining multiple predefined queries using Boolean operators(The system may present the user with a list of attributes for the given program and may allow the user to select one or more attributes and may allow the user to select which logical operations,0008);

wherein the navigation system is configured to be activated during the display of the currently displayed television program, wherein the navigation system automatically determines and displays a set of viewer-selectable attributes that are descriptive of different aspects of the currently displayed television program, wherein the navigation system overlays the set of viewer-selectable attributes on the currently displayed television program(the program guide may display a display screen or, if desired, an

overlay having listings for programs which are related to the user-selected program;  
From the list, the user may find a particular program of interest to the user,0060);

wherein the navigation system uses one or more selected attribute values selected from the set of viewer-selectable attributes corresponding to the currently displayed television program to define one of the predefined queries to produce the list of television program identifiers(see fig.5).

But did not explicitly wherein the navigation controls provide for navigation from display of the currently displayed television program to a-display of a plurality of different television programs corresponding to the television program identifiers in the list by activation of a single key for cycling through display of the television programs identified by the list.

Dodson et al disclose wherein the navigation controls provide for navigation from display of the currently displayed television program to a-display of a plurality of different television programs corresponding to the television program identifiers in the list by activation of a single key for cycling through display of the television programs identified by the list(see fig.4, element 206, a remote control having up and down buttons for allowing user to move up and down in selecting channels; the request can be made through the use of an input device such as a remote control,col.2, lines 65-66; col.3, lines 41-49 ).

It would have been obvious for any person of ordinary skill in the art at that time the invention was made to incorporate the teaching of Dodson into the invention of Herrington for the purpose of allowing users to interact with up and buttons to select channel without opening any other menu.

Re claim 31, is met as previously discussed with respect to claim 1.

Re claim 32, Herrington et al disclose wherein the relational schema adheres at least in part to a global listings format (see fig.5).

As Re claim 33, the claimed " a database for television program metadata; a query engine to find program identifiers in the database corresponding to predefined queries, wherein a predefined query returns a navigational axis from the database, wherein a navigational axis is a list of program identifiers of television programs..." is composed as the same structural elements as previously discussed with respect to the rejection of claim 29

Re claim 35, is met as previously discussed with respect to claim 1.

Re claim 36, Herrington et al disclose a multi-axis television program system that comprises a multi-axis database schema implemented by a processor executing instructions stored in computer readable storage media, the schema comprising: instructions for arranging a database of television programming metadata into indices facilitating predefined queries(Each set-top box preferably contains a processor to handle tasks associated with implementing an application on the set-top box 62 that assists the user in searching for programs,0050);

wherein one or more links contextually associated with one or more attributes of a currently displayed television program call the predefined queries, wherein the one or more attributes -re selected by a viewer from among a set of attributes and logically combined using Boolean operators(When plural attributes are selected, the search may be performed using a logical AND or a logical OR function,0070);

wherein each attribute of the set corresponds to a combinable navigation context which can be used for generating a navigable sequence of television programs along a navigational axis, wherein the set of attributes corresponding to the currently displayed television program are automatically determined by the processor and displayed as

viewer-selectable attributes when a user interface is activated during display of the currently displayed television program(see fig.5; the program guide may display related program find display screen 94 for the program Seinfeld when a user presses a single user interface key while a video for Seinfeld is displayed in display screen,0053);

wherein the predefined queries return a list of identifiers from the database corresponding with one or more of the attributes (see fig.5),

wherein each list forms a navigational axis (The attributes may include program genre(s), actors, rating, channel, director, year produced, or any other suitable program attributes,0071),

wherein each identifier in a list corresponds to either an on-demand or currently broadcast television program (the program guide may display a list of programs based on a search of currently available program listings with saved search parameters from an earlier search,0079);

wherein the television programs on the list are displayed as accessed by a television channel navigation means for navigating one or more navigational axes(see fig.5).

But did not explicitly disclose wherein the television channel navigation means comprises a next key, a previous key and a select key, wherein the next key or previous key is used to cycle through the television programs corresponding to the list without having to access a menu listing the television programs in the list for navigating to a next television program in the sequence.

However, Dodson et al disclose wherein the television channel navigation means comprises a next key, a previous key and a select key, wherein the next key or previous key is used to cycle through the television programs corresponding to the list without having to access a menu listing the television programs in the list for navigating to a

next television program in the sequence(see fig.4, element 206, a remote control having up and down buttons for allowing user to move up and down in selecting channels; the request can be made through the use of an input device such as a remote control,col.2, lines 65-66; col.3, lines 41-49 ).

It would have been obvious for any person of ordinary skill in the art at that time the invention was made to incorporate the teaching of Dodson into the invention of Herrington for the purpose of allowing users to interact or navigate among programs using the up and down buttons to select programs or change channels without opening any menu.

Re claim 37, Herrington et al disclose wherein the one or more attributes include one of: type of program, program title, alphabetical order of title, year of release, channel, time, first air date, episode order, episode name, genre, actors, writer, director, producer, rating, sound characteristics, video characteristics, language, subtitles, closeness of match to search criteria, and popularity(the program guide may locate program listings for programs that have an attribute that matches an attribute of the given program e.g., a common actor, same content, same subject matter, same series, common director, same category, same theme, common production year,0059).

As Re claim 38, the claimed " defining a television navigation axes-axis according to attributes of television programs where two-one or more attributes define the navigational axis axes ; receiving a viewer selection of one or more attributes from among the displayed set of viewer-selectable attributes, wherein each attribute displayed is descriptive of a different aspect of a-the currently displayed television program..." is composed as the same structural elements as previously discussed with respect to the rejection of claim 1.

As claim 40, the claimed " displaying a currently displayed television program on a television; activating a navigation system during display of the currently displayed

television ..." is composed of the same structural elements as previously discussed with respect to the rejection of claim 1.

Re claim 41, Herrington et al disclose further comprising presenting on the television the navigational axis and at least some information for the television programs that correspond to the television program identifiers(see fig.7c; the program guide may locate program listings for programs that have an attribute that matches an attribute of the given program e.g., a common actor, same content, same subject matter, same series, common director, same category, same theme, common production year,0059)

Re claim 42, Herrington et al disclose further comprising during display of the different television program, activating the navigation system again, wherein the navigation system automatically determines and displays a different set of viewer-selectable attributes that are descriptive of the different television program, wherein the navigation system overlays the different set of viewer-selectable attributes on the display of the different television program, wherein one or more of the different attributes is selected to create a new list of television program identifiers corresponding to the selected one or more different attributes for creating an additional navigational axis, the additional navigational axis based on results from a different query based on the one or more different attributes(see fig.5; the program guide may display a display screen or, if desired, an overlay having listings for programs which are related to the user-selected program. From the list, the user may find a particular program of interest to the user. The program guide may provide the user with an opportunity to select a program listing from the list,0060) .

Re claim 43, is met as previously discussed with respect to the rejection of claim 1.

Re claim 44, is met as previously discussed with respect to claim 40.

Claims 6-7,18-19, 24-25, 27-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Herrington et al in view of Dodson in further view of Ellis et al, US No.20080115169 .

Re claim 6, Herrington et al and Dodson did not disclose wherein the television program content is included in one of an on-demand television show or an on-demand television movie.

However, Ellis et al disclose wherein the television program content is included in one of an on-demand television show or an on-demand television movie on demand (User selectable criteria may also include what program guide server 25 searches for such as, for example, program listings, program information, web sites, video-on-demand videos, software, or any other suitable program guide data, other information, or videos, 0078).

It would have been obvious for any person of ordinary skill in the art at that time the invention was made to incorporate the teaching of Ellis into the invention of Herrington as modified by Dodson for the purpose of allowing users to receive on demand contents from service provider according to their request.

Re claim 7, Herrington et al did not explicitly disclose wherein the television program content is included in television musical programming.

However, Ellis et al disclose wherein the television program content is included in television musical programming (see fig.19, MTV; music channel information, 0039).

It would have been obvious for any person of ordinary skill in the art at that time the invention was made to incorporate the teaching of Ellis into the invention of Kikinis as modified by Dodson for the purpose of allowing user to get access to music data or audio content.

Re claim 18, Herrington et al disclose displaying content of a currently displayed first television program on a display(see fig.5);

activating a navigation system during display of the content of the currently displayed first television program, wherein the navigation system automatically determines and displays a first set of viewer-selectable attributes that are descriptive of different aspects of the currently displayed first television program, wherein the navigation system overlays the first set of viewer-selectable attributes on the display of the content of the currently displayed first television program(the program guide may display related program find display screen for the program Seinfeld when a user presses a single user interface key while a video for Seinfeld is displayed in display screen,0053; the system may present the user with a list of attributes for the given program and may allow the user to select one or more attributes and may allow the user to select which logical operations e.g., and/or operations are to be performed on the attributes,0008; the program guide may display a display screen or, if desired, an overlay having listings for programs which are related to the user-selected program,0060);

selecting one or more first attribute values from the displayed first set of viewer-selectable attributes to define a first query for television programming metadata, wherein the navigation system uses the selected one or more first attribute values corresponding to the currently displayed first television program in the first query to produce a first list of television program identifiers identified by the navigation system as corresponding to the selected one or more first attribute values(see fig.7c; the user may select one or more attributes e.g., by pressing a remote control OK button or otherwise selecting desired attributes,0070; Remote controls, such as remote control 70, have various buttons that can be pressed by the user such as arrow keys e.g., for directing on-screen movement of a highlight region, for directing scrolling functions, etc., an OK, select, enter, or other such selection key for making a selection,0045);



arranging the television programming metadata into a first data structure wherein first attribute values are associated with program identifiers(display a list of programs that are related to the particular program when the user requests that the system locate programs that are related to the particular program,0051);

providing a user interface, wherein a navigation control is used to launch the query by selecting the one or more attribute values from the displayed first set of viewer-selectable attributes corresponding to the currently displayed first television program for producing the first list of television program identifiers(When plural attributes are selected, the search may be performed using a logical AND or a logical OR function,0070)

using the navigation control to cycle through at least a portion of the first list to access content of a different-second television program for displaying the content of the second television program in place of the currently-displayed first television program, the second television program accessed corresponding to the first list(see fig.5),

displaying the content of the second -television program in response to the navigation control accessing the different television program(The system may search television program listings and may display a list of related programs based on the selected attributes,0008; the program guide may locate program listings from program listings stored in a database, such as program listings database,0063);

But did not explicitly wherein the navigation control includes a single key used to cycle through displaying the content of the of television programs in the first list without having to access a menu listing the television programs;

during display of the content of the second television program, activating the navigation system, wherein the navigation system automatically determines and

displays a second set of viewer-selectable attributes that are descriptive of the second television program, wherein the navigation system overlays the second set of viewer-selectable attributes on the display of the content of the different television program, wherein one or more second attributes are selected to create a second list of television program identifiers corresponding to the selected one or more attributes.

However, Dodson et al disclose wherein the navigation control includes a single key used to cycle through displaying the content of the of television programs in the first list without having to access a menu listing the television programs(see fig.4, element 206, a remote control having up and down buttons for allowing user to move up and down in selecting channels; the request can be made through the use of an input device such as a remote control,col.2, lines 65-66; col.3, lines 41-49 ).

It would have been obvious for any person of ordinary skill in the art at that time the invention was made to incorporate the teaching of Dodson into the invention of Herrington for the purpose of allowing users to interact with up and buttons to select channel without opening any other menu.

And Ellis et al disclose during display of the content of the second television program, activating the navigation system, wherein the navigation system automatically determines and displays a second set of viewer-selectable attributes that are descriptive of the second television program, wherein the navigation system overlays the second set of viewer-selectable attributes on the display of the content of the different television program, wherein one or more second attributes are selected to create a second list of television program identifiers corresponding to the selected one or more attributes(Program listings screens may be overlaid on a program being viewed by a user or overlaid on a portion of the program in a "browse" mode,0068; the program guide client may display a viewer recommendation overlay, such as overlay 2111 shown in FIGS. 20a and 20b, over a program the user is watching or over a program guide display screen, respectively,0112).

It would have been obvious for any person of ordinary skill in the art at that time the invention was made to incorporate the teaching of Ellis into the invention of Herrington as modified by Dodson for the purpose of allowing the system to automatically display other programs on the screen while user is viewing other data.

Re claim 19, Herrington et al did not explicitly disclose wherein the navigation control comprises a next key, a previous key and a select key, wherein the next key or previous key is used to cycle through content of the television programs corresponding to the second list without having to access a menu listing the television programs in the second list for navigating to content of a next television program in the second list.

However, Dodson et al disclose wherein the navigation control comprises a next key, a previous key and a select key, wherein the next key or previous key is used to cycle through content of the television programs corresponding to the second list without having to access a menu listing the television programs in the second list for navigating to content of a next television program in the second list(see fig.4, element 206, a remote control having up and down buttons for allowing user to move up and down in selecting channels; the request can be made through the use of an input device such as a remote control,col.2, lines 65-66; col.3, lines 41-49).

It would have been obvious for any person of ordinary skill in the art at that time the invention was made to incorporate the teaching of Dodson into the invention of Herrington for the purpose of allowing users to interact or navigate among programs using the up and down buttons to select programs or change channels without opening any menu.

Re claim 24, Herrington et al disclose further comprising displaying program information for each television program in response to the navigation control accessing the television program(see fig.5).

Re claim 25, Herrington et al disclose further comprising: pausing a first-particular television program at a pause point in response to the navigation control accessing another particular television program on the first list; and resuming the first-particular television program at the pause point in response to the navigation control accessing the particular television program again(resumes watching television,0085).

Re claim 27, Herrington et al disclose further comprising selecting multiple first attribute values, wherein the multiple first attribute values are combined in the query using Boolean logic operators, wherein the Boolean logic operators are applied automatically(When plural attributes are selected, the search may be performed using a logical AND or a logical OR function,0070).

Re claim 28, Herrington et al disclose wherein the Boolean operators are designated by a context of the currently displayed first television program(may allow the user to select one or more attributes and may allow the user to select which logical operations e.g., and/or operations are to be performed on the attributes. The system may search television program listings and may display a list of related programs based on the selected attributes,0008).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean Duclos Saintcy whose phone number is 571-270-3224. The examiner can normally reach on M-F 7:30-5:00 PM EST.If attempts to reach the examiner by telephone are not successful, his supervisor, Brian Pendleton, can be reached on 571-272-7527. The fax number for the organization where the application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Retrieval (PAIR) system. Status information for published applications may be obtained from either private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair->

Art Unit: 2425

direct.uspto.gov. Should you have questions on access to the private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197(toll free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, dial 800-786-9199(IN USA OR CANADA) or 571-272-1000.

/Jean Duclos Saintcy /

/Brian T. Pendleton/

Supervisory Patent Examiner, Art Unit 2425